#### Maharashtra University of Health Sciences, Nashik Inspection Committee Report for Academic Year 202----202---

### Clinical Material in Hospital

Name of College/Institute - Shivai Institute of Nursing, Omerga

Faculty - Nursing

#### HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
8	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.)  To be made available on web site	Available	Adequate (Parent hospital)
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Available	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual – 1: 10		Adequate
c.	Average Bed Occupancy in %: (Minimum 75%) 85%		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	
	<ul> <li>(i) Whether OPD is functioning to be verified</li> <li>(ii) Total No of OPD (on the day of inspection)</li> <li>(iii) Average Number of patients attending OPD (current year)</li> <li>(iv) Average Number of Delivery (Current year)</li> <li>(v) Average Number of abnormal Delivery (Current year)</li> </ul>	Yes	Adequate

 As per Central Council Norms/ University Norms, above Infrastructure must be available at College.

 If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website

• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify: -

Date: -



Dean/ Principal Stamp & Signature PRINCIPAL

Shivai Institute of Nursing (SION) Koregaonwadi,Omerga



## महाराष्ट्र मासन सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, धाराणिव

<u>Annexure –III</u> <u>FORM C</u>

Certificate of Registration under Section 5 of the Bombay Nursing Home Registration Act.

Amendment 2006

(Under Rule 5)

No:- 15

This is to certify that Dr. BEDADURGEVIJAKUMAR BARGALI has been registered under the Bombay Nursing Homes Registration Act Amendment 2006 in respect Shivai Hospital & Critical Care Center situated at Infront Of Ganesh Chitramandir, Main Road, Omerga Tal: - Omerga Dist: - Dharashiv and has been authorized to carry on the said Nursing Home.

Registration No.:- 15

Date of issue of Certificate: 23 | 5 | 2023

This Certificate shall be valid up to 31 march 2026

ICU/<del>NICU</del> Maternity Other Total Cots:- 20 Cots:- 30 Cots:-50 Cots:- 100



Civil Surgeon
General Hospital Dharashiv
Civil Surgeon
Civil Surgeon
Civil Hospital,Osmanabad

### MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.1 11

No:- Format1:0/PSO/UAN No.0000132197/CE/2209001435

To,
Shivai Hospital and Critical Care Centre
Sr. No. 337, Plot No. 84/20, Opp. Ganesh Chitra Mandir,
Main Road, Omerga,
Osmanabad-413606
Email:shivaaihospital@gmail.com
Contact No.:9422207614

Phadri pre entry
for to half towards
Your Service is Our
Duty

Date: 21/09/2022

Grant Combined Consent to 1st operate with amalgamation of Consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Bio-Medical Waste Authorization granted by the Board vide no.RO-Aurnagabad/NDD/BMW-Auth/2007000323 Date-2/7/2020
  - 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 25/04/2022
  - 3. This office email Dtd,20/07/2022
  - 4. Your Reply dtd. 15/07/2022 & 25/07/2022 & 03/08/2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent to 1st operate with amalgamation of Consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- 1. This CCA shall be in force for a period From 27-09-2021 To 26-09-2025
- 2. The capital investment of the HCF is ₹202.96 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 1186.20 M2 with Built-up area 1086.41 M2.
- 4. Activities Included
  - a. Total Number of Beds: 100 Nos. (As per BNH certificate no. 15 valid upto 31-03-2023)
  - I. General Beds: 70 Nos
    II. Maternity Beds: 30 Nos

#### 5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 30.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in Annexure-I
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### Conditions under the Air (P&CP) Act,1981:-

- 1. You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

# Conditions under Hazardous and Other Wastes(Management, Handling & 7. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Si No	туре от Weste	HW Category no.	Quentity	101	Disposal
1	35.3 Chemical sludge from waste water treatment	HE141735.3-	As per Actual	мт/м	CHWTSDF

#### 8. Conditions under Solid Waste Management rules 2016

- 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.

#### 9. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- You shall segregate and handover BMW to BMW T&D CTF Akshay Industries
   Ltd., Latur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy, to CPCB before 30th June of every year.
- 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. You shall submit the bank guarantee of INR 2.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice





eeffdf54 8544bcff 0a64faa6 52cbb181 82436bff 0e544e76 e18e13ba 93dc2b8d

Signed by: Dr. Amar R. Supate Principal Scientific Officer For and on behalf of, Maharashtra Pollution Control Board pso@mpcb.gov.in 2022-09-21 18:36:03 IST

#### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date ·	Transaction Type
1	<b>!</b> 15000.00	TXN2202002450	18/02/2022	Online Payment
2	75000.00	TXN2208000263	02/08/2022	Online Payment
3	5000.00	TXN2202002451	22/04/2022	Online Payment

#### Copy to:

- 1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
- They are directed to ensure the compliance of the consent conditions.
   SRO They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

### Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Se lle	· Physical Melant Astal son Duni Cel	Voter Strumption Guantity (CMD
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

50 10	<u>એક્ક્લેફરે</u> ફ્	Permitted guantity of discharge (GMD)	deliderds to be adillered	<b>्रा</b> स्ट्रास्ट्र
1	Domestic Sewage	15	As per clause 'C'	50 % Discharge to Municipal Sewerage & 50 % Recycle
2	Trade effluent	18(15)16	As per clause 'C'	50 % Discharge to Municipal Sewerage & 50 % Recycle

-C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr No.	Parameters	Discharge Standards applicable		
		Limiting Concentration in mg/except for plant		
1	pH	6.5-9.0		
2	Oil & Grease	10		
3	BOD (3 days 27°C)	30		
4	COD	250		
5	Total Suspended Solids	100		
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluer		

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II

# Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached	audinya:	<u> અમાનસીક</u>	Stak Holghie (Ma)
1	DG Set 25 KVA	Diesel	5.00 Ltr/Hr	3.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

# Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

92		Mesos Maries	eVernitisy ne to exceed (Ke/Month)	ં લ્લાનામાં ભાર સ્થાતમાં ભારત	ing makasasa
1	Yellow	a) Human Anatomical waste	60.00	Yellow coloured non- chlorinated	Bio medical Waste shall be sent to MPCB
	i q	b) Animal Anatomical Waste	0.00	plastic bags.	authorized BMW-CTF Akshay Industries Ltd
		c) Solled Waste	150.00		Latur Latur
		d) Expired or Discarded Medicines	25.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	5.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
	···	h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	200.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
3	White (Translucent)	Waste sharps including Metals	50.00	proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur
4	Blue	a) Glassware	25.00	Puncture proof,	Bio medical Waste shall
	4	b) Metallic body implants	10.00	Blue coloured marking.	be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur

SCHEDULE-II

#### Responsibilities of the CTF Operator of the Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Akshay Industries Ltd., Latur and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of blo-medical waste.
- 3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation,
- 5. You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- 8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

#### "

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

સમ/0	Activity / Condition to be Compiled	Compliance Timelino (Montia)	Bank Guarantee Amount
14	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records	Managhton to be	
To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year		Continuous 25,000.	
To maintain records of BMW handed over to CBMWTDF		Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	3 Months	100,000.00
	Total		2,50,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

#### **General Conditions**

#### The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- Whenever due to any accident or other unforeseen act or event, such emissions occur
  or is apprehended to occur in excess of standards laid down, such information shall be
  forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and
  Local Body. In case of failure of pollution control equipment's, the process connected
  to it shall be stopped.
- .3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

- You shall submit an official e-mail address and any change will be duly informed to the MPCB.
- You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
- 19. The Energy source for lighting purpose shall preferably be LED based.
- You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 21. You shall provide personal protection equipment as per norms of Factory Act 1948
- 22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

HEIFTY

भारतीय गेर न्यायिक

एक सौ रुपये

Rs. 100

रु: 100

ONE HUNDRED RUPEES

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

0 2024 0

कार्या व निर्मा के निर्म के निर्मा के निर्म के न

Will Bailed

्रश्री तमेश वीताला वक्ता काम लक्क का गुणगा एक क्राफल 15AB 307512

अपकांकागारका जिल्ला, उन्हरण
जिल्ला को विकास के विकास के उम्हरण



Memorandum of Understanding

SHIVAI INSTITUTE OF NURSING(GNM), KOREGAONWADI, TO-OMERGA
SHIVAI CHARITABLE TRUST, OMERGA DIST-OSMANABAD 413606

<u>&</u>

Shival Critical care Hospita, Omerga, Tq Omerga, Dist .Osmanabad

This is the memorandum of understanding between Shival Institute of Nursing(GNM), Koregaonwadi, Tq-Omerga Dist-Osmanabad 413606 of Shivai Critical care Hospital, Tq.
Omerga, Dist. Dharashiy

PAMENURE RECIPED FANURE ADVISORTE & NOTARY ADVISORTE & NOTARY ADVISOR DESTRUCTION OF THE PARTY ADVI

The state of the s

On 22th January 2025. As hospital is Parent Hospital for the Shivai Institute of Nursing(GNM). Omerga for the training and practical purpose of the student of GNM/BSCNUrsing College

This MOU is valid for 5 years after signing on 22th January 2025 and valid till cancellation by mutual understanding of both parties, till then it is valid and it will auto continue for further 5-year period

SIGNED BEFORE ME

GOVI.ON DIA Adv.PRADIPN.PANURO DHARASHIV DIST.

IDENTIFIED BY.



### महाराष्ट्र हासन सार्वजनिक आरोग्य विभाग जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, उस्मनावाद

#### Annexure –JII FORM C

# Certificate of Registration under Section 5 of the Bombay Nursing Home Registration Act. Amendment 2006 (Under Rule 5)

No:- 242

This is to certify that Dr.Sachin Tanajirao Vishvekar has been registered under the Bombay Nursing Homes Registration Act Amendment 2006 in respect Om Multispecity Hospital, Omerga situated at New Arogra Nagar, Omerga Tal:-Omerga Dist:-Dharashiv and has been authorized to carry on the said Nursing Home.

Registration No.:- 242

ICU Maternity other

Beds:- 14 Beds:- 10 Beds:- 76

Date of issue of Certificate: 11/12/2013

Total

Beds:- 100

This Certificate shall be valid up to 31 March 2026



Civil Surgeon
Generali Hospital Osmana Dag

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781 Fax: 24024068/24023515 Website: http://mpcb.gov.in Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I No:- Format1.0/PSO/UAN No.0000116466/CO/2203000603

To,
M/s. om multispeciality hospital
337/1,New Arogya Nagar Omerga
Dist: Osmanabad
Email:sachinortho@gmail.com
Contact No.:9881535980



Date: 10/03/2022

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 24/06/2021

2. Report submitted by SRO Latur on dated 30/09/2021

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, Under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

- This CCA shall be in force for a period up to commissioning of Unit OR from 25-12-2021 To 31-12-2026
- 2. The capital investment of the HCF is ₹946.20 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 3096.78 M<sup>2</sup> with Built-up area 2140.62 M<sup>2</sup>.
- 4. Activities Included
  - a. Total Number of Beds: 60 Nos
- 5. Conditions under the Water (P&CP) Act, 1974:-
  - Quantity of total water consumption shall not exceed 15.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  - 2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
  - 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### 6. Conditions under the Air (P&CP) Act,1981:-

- 1. You shall use the fuel for DG set as specified in the Annexure-II.
- You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

#### 7. Conditions under Hazardous Waste (M & TM) Rules 2016:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no	Quantity (MT/Annum)	DEGLET
1		NA	As per Actual	NA

# Conditions under Solid Waste Management rules 2016 (As Amended, 2018 and 2019):-

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.

# 9. Conditions under BMW Management rules, 2016 (As Amended, 2018 and 2019):-

- 1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
- 2. You shall segregate and handover BMW to BMW T&D CTF Akshay Industries Ltd., Latur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
- 3. Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
- 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- **10.** You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. You shall submit the bank guarantee of INR 0.75 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
- 18. You shall submit the bank guarantee of INR 0.94 lakhs which will be forfeited as HCE have started work of construction without obtaining C to E from Board. The Bank Guarantee shall be submitted in favour of The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice





4	24ae7bad
Ė	e4eb0d46
Ê	70e29b43
H	66d278fc
H	dlf75eba
	fc753ea4
ı	e77b2223
4	a4f5d70e

Signed by: Dr. Amar R. Supate Principal Scientific Officer For and on behalf of, Maharashtra Pollution Control Board pso@mpcb.gov in 2022-03-10 18:48:11 IST

#### Received Consent/Authorization fee of -

	SFRO	Amount (Rs.)	iransaction/DRINGS	cition (citione	hall Transaction Type 55
ľ	1	75000.00	TXN2106002279	24/06/2021	Online Payment
İ	2	105000.00	TXN2202000802	08/02/2022	Online Payment
t	3	15000.00	TXN2106002283	24/06/2021	Online Payment

Additional consent fees of Rs.60000/\_ is balance with Board and shall be adjusted at the time of next application for consent to operate Copy to:

- 1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Latur
- You are directed to ensure the compliance of the consent conditions and BG imposed.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

# Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

#### A. Water Consumption Details:-

water Cor	WORD	
er ilo	Durance of syntar continued	eonsumption quantity ( <b>CMD</b> )
	is also pits or holler feed	0.00
1.	Industrial Cooling, spraying in mine pits or boiler feed	15.00
2.	Domestic purpose	
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
5.	Other such as agriculture, gardening, etc.	2.00

# B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Conditions	s for Sewage & Emberic	20mHed	野 一	4 9 6
Sr 30	justaja vi	្សារូបក្រដូច មាន <b>វាសារ</b> វាម្រ <b>វាសារ</b> វាម្រសា <b>រវាសា</b>	និត្តភេទ្ធកិច្ច ក្រៀង <b>រួម</b> 1811 (Refer <b>Co</b> ndition	<i>ាំព្រក្</i> នៅ a ((០,5)
a lead	itions thater water	12	As per clause 'C'	100% Recycle
1	Domestic Sewage	12		100% Recycle
2	Trade effluent	0	As per clause 'C'	

# C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

4	D. T. L.	ार् व शहरावायः अस्याववयः वाजादाशः	
153710	and characters	i imiting concerne that i male can be given	
1	На	6.5-9.0	
	Oil & Grease	a translation are about the second of the se	
3	BOD (3 days 27°C)	water to a very large at 1 and	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluen	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

# Terms & conditions for incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

	Stack Attorned p	जग <b>ः राष्ट्रा</b>	्या तार्थक्ष्	34 ek 10.00 (600)
1	DG Set	Diesel	15.00 Kg/Day	3.00

- The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
  any technological improvement or otherwise such variation (including the change of
  any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
  - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f. D.G. Set shall be operated only in case of power failure.
  - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
  - 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

# Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

		1.00	) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	A. 9	grade in the	
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Akshay Industries Ltd., Latur Latur	
		b) Animal Anatomical Waste	0.00			
		c) Soiled Waste	300.00			
		d) Expired or Discarded Medicines	15.00			
1		e) Chemical Waste	0.00			
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	85.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.		
		h) Microbiology Biotechnology and other clinical laboratory waste	60.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.	
2	Red	Contaminated waste (Recyclable)	250.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF	
3	White (Translucent)	Waste sharps including Metals	140.00	Puncture proof, Leak proof, tamper proof container.	Akshay Industries Ltd., Latur Latur	
4	Blue	a) Glassware	25.00	Cardboard boxes with Blue coloured	,	
		b) Metallic body implants	(1) (1) (1)	marking.		

## Responsibilities of the HCE Owner and CTF Operator of the Facility

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Akshay Industries Ltd., Latur and maintain records thereof for 5 years.
- You shall establish bar code for handling of bio-medical waste.
- You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- You shall not store Bio Medical waste beyond 48 hours from the generation.
- You shall use only non-chlorinated plastic coloured bags.
- You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- You shall not mix General/other Solid waste with Bio Medical Waste.
- You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof &
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- 17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).
- 19. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

#### **Bank Guarantees**

Bank Guarantee imposed to ensure timely compliance, to be observed by operator,

stelle	Activity ( condition to be gonjoiced	Compliance Timeline (Months)	Bank GUaranit ( Amount
1A	Operation and Maintenance	the state of the state of	
1	To provide STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			75,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

SCHEDULE-IV


### **General Conditions**

# The following general conditions shall apply:-

- 1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in
- Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected
- 3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection)
- You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office,
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

- you shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- You should not cause any nulsance in surrounding area. You shall maintain good
- You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
- You shall submit an official e-mail address and any change will be duly informed to the MPCB.
- You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
- An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
- 18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.

A STATE OF THE PARTY OF THE PAR	
This certificate is digitally & electronically signed.	
This Certificate is digitary	



MEMORANDUM OF UNDRSTANDING

SHIVAI CHARITABLE TRUST, OMERGA

SHIVAI INSTITUTE OF NURSING KOREGAONWADI TO OMERGA

&

OM MULTISPECIALITY HOSPITAL TQ, OMERGA DIST OSMANABAD

THIS IS THE MEMORANDUM OF UNDERSTANDING BETWEEN SHIVAI INSTITUTE OF NURSING KOREGAONWADI TO, OMERGA AND OM MULTISPECIALITY HOSPITAL TO, OMERGA DIST OSMANABAD

HENCE FORTH OM MULTISPECIALITY HOSPITAL TQ, OMERGA DIST OSMANABAD

100 BEDDED HOSPITAL IS AFFILIATED WITH SHIVAI INSTITUTE OF NURSING

KOREGAONWADI TQ, OMERGA FOR TRAINING AND PRACTICAL PURPOSE OF STUDENT OF

B.SC NURSING STUDENT FOR PERIOD OF ONE YEAR FROM 21/08/2024.

Dr Sachin T. Vishvekar M.B.B.S. D.Ortho Reg. No 2003/03/1352 Om Multispeciality Hospital Omeroa

DIRECTOR

OR. SACHIN VISHWEKAR

OM MULTISPECIALITY HOSPITAL

OMERGA DIST OSMANABAD

SECRETARY

SHIVAI CHARITABLE TRUST

DR. VIJAY BEDADURGE

OMERGA DIST OSMANABAD



# Om Multispeciality Hospital


New Arogya Nagar, Omerga Dist. Osmanabad - 413 606

Date: 21/08/2024

This is to certify that Om Multispeciality hospital, Main road omerga has been affiliated to Shivai Charitable Trust's, Shivai Institude of Nursing, Koregonwadi as a Affiliated hospital for the training and practical purposes of B.Sc Nursing students for one year from 21/08/2025.

Dr Sachin T. Vistivekar M.B.B.S. D.Onno Reg. No. 2003/03/1352 Om Multispeciality Hospital

Dr. Sachin Vishvekar Director Om Multispeciality Hospital



on 28th day of September Month 2021. As hospital is allillated for the Shivai Institute of Nursing, Omerga for the training and practical purpose of the student of B.Sc. flursing.

This MOU is valid for 5 years after signing on 28 day of September Month 2021 and valid till cancellation by mutual understanding of both parties, till then it is valid and it will auto continue for further 5-year period



Director
MEDICAL SUPERHITE HOSPIFAL Sastur,
S.P.A.R'S'HARD'S HOSPIFAL Sastur,
Tq-18H675 DAPID SARANSHAD

Secretary/Chairman

DR. VIJAY B. BEDADURGE

Shival Charitable Trust, Omerga

Dist - Osmanabad, 413606

Sastur Te-Lohara Dist-O'bad

Provident Secretary Treasurer SHIVAL CHARITABLE TRUST OUEROA DISTLOSMANABAD

SIGNED BEFORE ME

S.Y.Birajdar

ADVOCATE & NOTARY

GOVLOI India

1 3 OCT 2021

Explaned &



#### S.P.A.R.S.H.RURAL HOSPITAL

( The Joint Venture of Govt, of Maharashtra & PittibE India) Dr. Ananddal Joshi Goras Anard, Coverement of Maharashtra 1995-96 and 1995-99, State lavel "Kayakalp" Anard 2016-17 and SUAS Certified in 1917-18.



At Sastur, Taluka, Lohara District, Osmanahad , Tele Las Ho. (172175)257311,257510

Date-29/09/2021

To whom so Ever it may be concern

This is to certify that SPARSII Hospital, Sastur, Tq.Lohara, Dist. Osmanabad (50 bedded) has been affiliated to Shivai Charitable Trust, for new B.sc. Nursing College under the name of Shivai Charitable Trusts Shivai Institute of Nursing, Koregonwadi as an affiliated hospital.

Thanking You

Medical Synchricidant SPARSELITED SESTUR Tq:-Löhdelder Divininabad

Scanned with CamScanner

प्राहेड इंडिया,गुंबई था संस्थेती सार्वकरण करत (MOU) पत्रण्यास मान्यमा देण्यानानत....

- महाराष्ट्र शासन -सार्थजनिया गारोग्य विष्याप शासन निर्णय का आरएलएंपे २७१६/१४५२/व.क.२४६/१६/आ-४ गंत्राल्य,भुंबर-४०० ०३२. दिनांकः २६ जून-२०००.

प्रस्तावना : सप्टेंबर १९९३ मध्ये लातूर ह्वं वंस्मातीयाद या जिल्ह्यात झालेल्या भूकंपात रवा जिल्ह्यातील जनेक गानातील घरेदारे 'तसेच' सार्वजनियां जारीचे विभागाच्या ताच्यातं 'असलेल्या अनेक 'रमाती देखेंत वंदवस्त साल्या होत्यां : भूकेपाने वध्यस्त झालेत्यां या भागात शासनाच्या यतीने करण्यात आलेल्या पुनर्यसन कार्यात अनेक व्यक्तीनी च स्वयंशेयी, रांस्यांनी ईंखील संह्यांये होती. या सहकार्याचा एक पान न्हेंन्द्र उत्मान-गर जिल्ह्यात सास्त्रर येथे प्रारेड इंडिया या संस्थेने पूर्णएक्पीर आणि सीसीएक मा संस्थाकाता मनत प्रापा करनः धेकन प्रामीण रूगणालगांसाठी रमार्त नांधलेली जाहे. या रमारतीय रुगणालय पालींक्यान परवानगी देऊन त्या अनुवंगाने होणा-या आवर्ती छंपांची रवकम 'संस्थेने शासनाकडे मागितलेली महुन वी शासनाच्यां विपाराधीन आहे.

शासन् निर्णेय : अपुर्दे : हिंडया या संस्थेन केलेल्या विनंतीपा सर्वांगीण विवास करून मेसर्स प्राईड हिंडिया या तस्थेते सास्त्र मेथे चाँपतेल्या हगासीतं रुग्णातम् सुरु कर्ण्यातं तसेच त्यासाठी खालील अटीच्या अधीत राह्न सामेजस्य नारार-फरण्यास शासन पायारेशान्यता देत झाहे रू

(१) या शासन निर्णयासोयत जोडलेल्या परिशिष्ट अ मध्ये नगूद केलेल्या गटी. व शतींचा संगावेत

सोमगस्य करारात करण्यात याचाः

0

(२). यर १ येथे नमूद केलेल्या अटी य राजी ज्यतिरिवंत शासकीय हित जोपासण्याच्या दृष्टीकोनातून प्रचलित अधिनियम/नियम यामपील आणखी कारी अटी धिहिता चंतरण्याची आवश्यकता असल्यास स्यापा

. समावेशं देखील सांगंगस्य करारात करण्यात यांनाः (३) सामजस्य करार करताना जे अधिनियम/नियम योग्धील तरत्रीनुसार मेससं प्राहेड हेडिया नुंबहे हैं

संस्या नोंदणीकृत झालेली आहे. त्या अधिनियंग/नियम् यांच्या च त्याखाली दिलेली नोंदणी क्रमांक च दिनांकाचा

२. ' यावयेळी संवालक, आरोग्य सेवा, गुंबई यांना असेही निर्देश. 'देण्यात येत आहेत की , पर निरंशित उल्लेख सामंगस्य करारात करण्यात यांचा. फेल्याप्रमाणे सामंगस्य करण्याच्या दृष्टीकोनातृन शासकीय अभियोवता/संयोधत प्राधिकृत अधिकारी यांच्याकर संपर्क साधून सामंगस्य वाराराचे प्रारुप तथार करून घेवन दिनांक ४.७.२००० पर्यना पाठवून देण्याथी व्यवस्था काायी:

> CE TRUS us tisme aby

> > Scanned with CamScanner

असंग्रास्य फराराजीस गराप्रीयमाणे देव होणारी रावका भेगारी आहेड एडिया या शंक्यंग्र देण्याताकी राज्यंग्र कार्याय कराराजी सामाण्य भेगा विद्या छर्च भागणी छर जार-१ -२२१० - पंछानीय शेवा प सार्वजनिक आरोग्य ०१- नागारी आरोग्य भेगा विद्या चित्रज्ञ -११०- राज्याम्य प स्वाधाने १९०-४-भुकराले राज्यालये य स्वाधाने यांना सहाय्यक अनुदाने १९०-४(ए)अध्यापनेतर राज्यालये प स्वाधाने यांना सहाय्यक अनुदाने १९०-४(ए)अध्यापनेतर राज्यालये प स्वाधाने यांना सहाय्यक अनुदाने (२२१० ०१७ ३)-४१ राज्यायक अनुदाने या साली मेळीवळी करण्यात येणा-यां तरत्रहोतून भागविष्यात यांचा.

या साला मळावळा करण्यात प्रणान्या सर्ताराम्या नातावण्यात प्राप्त । ४. हे आदेश वित्त विभागाच्या स्पाप्या अनीवपारिक संदर्भ ग्रा.७२१/व्यय-१२/२००० दिनीक १२/०,२००० अन्वयं सहमतीने निर्णिनत प्रारण्यात थेत गाहेत.

मतराष्ट्राचे राज्यपाल पॉय्या नांवाने य आदेशाने,

(र.ग.गोसाची)

महाराष्ट्र शासनाचे अवर समिव

स्ति संगलक, आरोग्य रोवां, मृंबर्ध स्ति चालक, आरोग्य रोवां, मृंबर्ध स्ति चालक (चेद्यकीय) आरोग्य रोवा, मृंबर्ध उपसंचालक, आरोग्य रोवा, लातूर परिमाहळ, लातूर जिल्हा आरोग्य रोवां, लातूर परिमाहळ, लातूर जिल्हा आरोग्य जीवंकारी, उरमानावार महालेखांगल (लेखा यं परिला) मृंबर्ध महालेखांगल (लेखा यं अनुत्रेयता) मृंबर्ध महालेखांगल विद्यागा अधिकारी, उस्मानावार कार्यासन अधिकारी, यित्ते (चिनाग, मृंजालयं, मृंबर्ध अपर त्रोववं, आरोग्य-९, रोह्यंजनिक आरोग्य विमाग, मृंजालयं, मृंबर्ध अपर त्रोववं, आरोग्य-९, रोह्यंजनिक आरोग्य विमाग, मृंजालयं, मृंबर्ध अपर त्रोववं, आरोग्य-९, रोह्यंजनिक आरोग्य विमाग, मृंजालयं, मृंबर्ध

निवड नरती.

रपर्श प्रामीत्व करणालय सास्तुर, हिर, धरमानावाद यैथील ३० खाडीच्या करणालवादे ५० खाडीच्या खगजिल्हा करणालवात श्रेणीवर्धन करणेबादरा,

महाराष्ट्र शासन सार्यजनिक आरोग्य विभाग शासन निर्णय क्रमांका श्रेणीयर्धन-२०२२/ प्र.क्र,२५/ आरोग्य-४ १० या मजला, गोकुळदास तेजपाल क्रम्णालय इमारत, लोकमान्य टिळक मार्ग,मंत्रालय, गुंबई - ४०० ००१ दिनांक : २६ एप्रिल, २०२२.

वाचा:-

सहसंघालक, आरोग्य सेवा, मुंबई यांचे पत्र क्रमांकः जा.क्र.आआसे/क्स ३/टे-७/ ग्रारु सास्तुरजि. जरमानावादश्रेणी ५० लातूर मं ३१/जा.क्र.४२५०-५१/२०, दि.१८/०६/२०२० चे पत्र.

प्रस्तावना:-

स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उरगानाबाद येथील ३० खाटांचे ५० खाटांच्या उपजिल्हा रुग्णालयात श्रेणीवर्धन करणेयावत प्रशासकीय मान्यता देण्याची वाब शासनाच्या विवासचीन होती. यात्तंदर्भात पुढील प्रमाणे निर्णय घेण्यात येत आहे.

शासन निर्णय:-

स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उरमानाबाद थेथील ३० खाटांच्या रुग्णालयाचे ५० खाटांच्या उपजिल्हा रुग्णालयात श्रेणीवर्धन करणेबावत मान्यता देण्यात येत आहे.

सदर शासन निर्णय महाराष्ट्र शासनाच्या www.mabarashtra.gov.in या संकेतस्थळावर उपलब्ध करण्यात आला असून त्याचा संकेताक २०२२०३०७१३३७५९५०१७ असा आहे. हा आदेश डिजीटल स्वाक्षरीने साक्षांकित करून काढण्यात येत आहे.

महाराष्ट्रावे राज्यपाल यांच्या आदेशानुसार व नावाने.

SACHIN SHAMKANT DESAI


(संघिन देसाई) अवर संघिव, महाराष्ट्र शासन

प्रत.

- महालेखापाल १ / २, महाराष्ट्र ( लेखा य लेखापरीक्षा ) / लेखा य अनुझेयता, मुंबई/ नागपूर.
- २. रांचालक, आरोग्य रोवा, गुंबई.
- सहसंचालक, आरोग्य सेया, क्रम्णालये (राज्यस्तर), गुंबई.

्य विर्याय क्रमांका श्रेणीयर्थ १-२६२२/ प्र.क.२५/ आरोग्य-४

- ४. सहाय्यक संचालक ( लेखा व लेखापरिक्षा ),आरोग्य सेवा, पुणे.
- ५. सहसंघालक, आरोग्य सेवा ( अर्थ व प्रशासन ), पुणे.
- ६. उपसंचालक, आरोग्य सेवा, लातूर मंडळ, लातूर.
- ७. जिल्हा शत्य चिकित्सक, जिल्हा रूग्णालय, उरमानाबाद
- ८. वैद्यकीय अधिक्षक,स्पर्श ग्रामीण रुग्णालय सास्तुर, जि. उस्मानाबाद
- १. जिल्हा कोषागार अधिकारी, उस्मानाबाद
- १०. निवडनस्ती( आरोग्य-४), सा.आ.वि.



Scanned with CamScanner

ב סוחל גולוב ביותוש חוילות לסב שה דימולי

on 28th day of September Month 2021. As hospital is alfillated for the Shival Institute of Nursing. Omerga for the training and practical purpose of the student of B.Sc. Hursing.

This MOU is valid for 5 years after signing on 28 day of September Month 2021 and valid till cancellation by mutual understanding of both parties, till then it is valid and it vall auto continue for further 5-year period

Director DR. GANGADHAR C. KORKE Mind Institute of Psychiatry & Deaddiction and Rehabilitation Centre, Solapur.

DR. VIJAY B. BEDADURGE Shival Charitable Trust, Omerga Dist-Osmanabad, 413606

Dr. Vijay Bedadurge (1865.ND) Reg.No. 2006/01/0174 SHIVAI HOSPITAL OMERGA

Dr. G. C. Korke M.B.B.S., D.P.M. Reg. No. 2000/02/0593

President Socretary Treasurer Oneign

MOMEROA DIST. OSMANABAD

BUSTED BEFORE

8.Y.Birajdar ADVOCATE & NOTARY Govt.of India

13 OCT 2021

Nixy Wyoth Explained & Identified by

Scanned with CamScanner



सोलापुर महानगरपालिका, सीलापुर

आरोग्य विभाग (प्रपत्र-सी) महाराष्ट्र शुषुषागृह नोंदणी अधिनियम १९४९ चे कलम ५ अन्वये)

Solapur Municipal Corporation , Solapur Health Department (Form C)

Under Section 5 of the Maharashtra Nursing Home Registration Act 1949

#### acid actor vincences.

प्रमाणपत्र देण्यात येते की.

हाँ, श्री,/श्रीमती

: हाँ, गंगाधर चंद्रकांतप्या कोरके

शैधणिक अर्हता

ः एग.बी.बी.एस. , डी. पी. एम.

यांची, महाराष्ट्र शुश्रुपागृह नोंदणी अधिनियम १९४९ खाली आ. संस्था

संस्थेचे नाव

माईंड इन्स्टिट्युट ऑफ न्युरो सायकॅटरी डिएडिक्शन अँग्ड रिहॅबिटेशन सॅटर

संस्थेचा पत्ता

: 34/35 अल्ले नगर जवळ ओल्ड पूना नाका मुरारजी पेठ

उपरोक्त नर्सिंग होम कायद्यांतर्गत नोंदणी करण्यात आलेली आहे . तसेच सादर रुग्णालय /

दवाखाना चालविण्यासाठी त्यांना हे प्रमाणपात्र देणेत येत आहे.

नोंदणी क्रमांक

: LMS2020005409

नोंदणी दिनांक

: 26 - 03 - 2023

प्रसुतीसाठी

: 0

इतर रुग्णांसाठी

: 20

ठिकाण

: सोलापुर

वैद्य प्रमाणपत्र कालावधी

: दि.01/04/2023 ते दि. 31/03/2026 पर्यंत

The certificate is issued.

Dr. Mr. / Mrs

: Dr. Gangadhar Chandrakantappa Korke

Educational Qualification : M.B.B.S., D.P.M.

Register Organization Under Maharashtra Nursing Home

Registration Act 1949

**Organization Name** 

: Mind Institute Of Neuro psychiatry & Deaddiction & Rehabilitation Centres

Organization Address

: 34/35, Alle Nagar Near Old Puna Naka Murarji Peth

Registered under the above Nursing Home Act. Certificates Provide to run

the hospital / clinic prescribed.

Registration Number

: LMS2020005409

**Registration Date** 

: 26 - 03 - 2023

For Delivery

: 0

For other Patients

: 20

Place

: Solapur

Valid Period

: From 01/04/2023 To 31/03/2026

Digitally signed by DS SOLAPUR MUNICIPAL CORPORATION 1

Date: 2023.04.20 18:19:51 +05:30

Reason: Issued by MOH (Dr.

Basvaraj Lohare)

Location: License

Department, Solapur Municipal

Corporation, Solapur





#### नर्सिंग होम (मुंबई नर्सिंग होम ऍनट 1949) शर्ती अटी व नियम


- 1) नोंदणी प्रमाणपत्र हाँस्पिटल, दवाखान्याच्या दर्शनी भागात दिसेल अशा ठिकणी लावणे बंधनकारक आहे .
- 2) आपल्या आरोग्यसंस्थेत दाखल संसर्गजन्य रग्णांची माहिती (Noticeable diseases) नातडीने छत्रपती शिवाजी महाराज सर्वोपचार रुग्णालय सोलापूर व आरोग्य विभाग, सोलापूर महानगरपालिकेत कळिवणे गरजेचे आहे .
- 3) जन्म मृत्यू नोंदी संबंधित माहिती वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- 4) कुटुंब कल्याण ( पु / स्त्री ) शस्त्रक्रिया आपल्याकडे झाल्यास त्याची आकडेवारी सोलापूर महानगरपालिकेच्या बुटुंब कल्याण विभागास कळिवणे आपल्यावर बंधनकारक आहे .
- 5) संस्थेत कार्यरत नर्सिंग स्टाफ मुंबई नर्सेस मिडवाईफ ऍण्ड व्हिजीटर्स ऍक्ट 1954 नुसार प्रशिक्षित असण्याच्या अटीवर नोंदणी देण्यात आली आहे.
- 6) बायोमेडिकल वेस्ट नियम 1998 क्र. 32 व 41/2006 चे पालन करणे बंधनकारक आहे .
- 7) आपल्या संस्थेत अग्निशमन प्रतिबंधक कायद्या अंतर्गत योग्यत्या उपायोजना करुन अग्निशामक साधने व प्रशिक्षित कर्मचारी नियुक्त करणे बंधनकारक आहे .
- 8) सदर आरोग्य संस्थेत मुंबई नर्सिंग होम रजिस्ट्रेवशन ऍक्ट 1949 अंतर्गत व महाराष्ट्र शुश्रुपागृह नोंदणी नियम २०१९ अन्वये वेळोवेळी लागू केलेल्या शर्ती, अटी व नियम बंधनकारक राहतील, त्याचे उल्लंनघन झाल्याचे आढळून आल्यास हे नोंदणी प्रमाणपत्र रद्द करण्यात येऊन आपणांवर नमूद कायद्यांतर्गत पुढील कारवाई करण्यात येईल याची नोंद घ्यावी.
- 9) ऑनलाईन परवाना देणेची कार्यपध्दती अवलंबिल्यानंतर वेळोवेळी शर्ती नियम अटी या मध्ये केलेले बदल परवानाधारकावर वंधनकारक राहतील.
- 10) परवान्याचे नूतनीकरण मुदतीत न केल्यास मुदत समाप्तीनंतर सदरचा परवाना आपोआप रद्द होईल .व्यवसाय चालू असल्यास संबंधित व्यावसायिकाने परवाना मागणी करीता आवश्यक त्या कागदपत्रांसह फेर अर्ज सादर करणे बंधनकारक राहिल .

पावती क्र. /	पावती दिनांक /	फी र. रु. /	दंड र. रु. /
Receipt Number	Recelpt Date	Fee in Rs.	Fine in Rs.
LIC-REN-202301150	26 - 03 - 2023	10500	0



### वहाराष्ट्र युकाने व बारवायमा शिकरीचे व श्रेवाराधीचे विनियमक विनियम, २०१४

পদুদা স্ব (नियम ५ पए) भौदेशी प्रमाणपत्र



96397003977473688 9239900393833460 मोंदणी क्रमोक माईंड इंन्स्टिट्यूट ऑफ नयुरोगायकॅटरी अंड डिएविकडान आस्थापनेचे नाव सदरचे मोदणी प्रमाणपत्र अर्जदाराने ऑनलाई नव्दारे अर्जातोवत सादर केलेल्या (अपलोड) स्वयं-प्रमाणित दस्तऐवजाच्या प्रती व स्वयं-घोषणापत्राच्या श्रामारे सदरच मादणा प्रमाणपत्र अजदारान जानलाव गन्दार जजाराज्या सावर करण्या (जनराज) रचन्द्रमाना चरताद्वजाव्या प्रताच स्वय-धारणापत्राच्या श्रामार आणि अर्चामध्ये सविस्तुर नमुद केलेल्या माहितीधी आणि आत्यापनेच्या व्यवसायागी व आरयापनेच्या जागेची प्ररक्ष्य पडताळणी न करता देण्यात वाले वाहे. सदरचे प्रमाणपत्र हे केवेळ मोदणी प्रमाणपत्र आहे च रादर भोंदणी प्रमाणपत्र कोगत्याही प्रकार मालगत्ता हक्क किंदा मालमत्तेचा मालकी हक्क धारन करच्याचा अधिकार देत नाही. सदर नॉदणी प्रमाणपत्र नॉदणीचा कालावधी समापीच्या तीस दिवस अगोदर नुसनीकरण करणे आवश्यक राहील. ब्यदसाय सुरु करण्यात आल्याचा दिनांक 96-08-2096 नोदणी प्रमाणपत्राचा कालावधी 4 डॉक्टर गंगाधरखंद्रकात्मा कोरके हुन् रे गालकाचे नाव ETHUCO / HOSPITAL O व्यवसायाचे स्वरुप प्लॉट में ३४/३५, अले लगर नीअर ओल्ड पुणे ताका, मुरारजी पेठ, सोलापुर (एम कॉर्प), सोलापुर उत्तर आस्थापनेचा पता ९. मनुष्यबळ / कामगारांचा तपशील क्षार **स्थार १**०० के स्थाप एकुम 94 A CHILD कामगारांची संख्या 111/07 शिकाऊ उमेदवार अधिनियम, १९६१ (१९६१ चा ५२) अन्यये शिकाऊ उमेदवारांची संख्या 0 कंत्राटी कामगारांची संख्या o अंशकालिक कामगारांची संख्या 94

याद्वारे प्रमाणित करण्यात येते की, उवत आस्थापनी महाराष्ट्र दुकाने व आस्थापना तोकरीचे य सवागतीय विनियमनो अधिनियम, २०१७ (महाराष्ट्र २०१७ मा ६९ अन्वये आज दिनांक ०२/१०/२०१८ रोजी खास्यापना महणून नींदविण्यात आलेली आहे.

दिनांक: 02/90/209८

टिकाण:Solapur

Signature valid

Digitally Sighed by Rajesh Manuti Salgar (Facilitator) Date:10/2/2018-11:02:16 AM

सविधाकाराचे नाव व स्वावरी

कार्यालयाचा पता : Office of the Assistant Commissioner of Labour, Solapur, Address-Sahastrajun Mangal Karyalaya, १२४-१st Floor, Sidhheshwar Peth, Solapur.

वैथता संपण्याचा दिनां क	अर्जाचा आय. छी, क्रमां क
02/90/2023	90896693

For Vertication or to check the authenticity of the Conflicate/Receipt visit to https://aaplesarkar.mehaonline.gov.in प्रमाणपत्र किंवा पावतीची सत्यतेची/ पडताळणी करण्यासाठी https://eaplesaker.maireonline.gov.in येथे गेट दया. "बालकामगार कामावर ठेवने गुन्हा आहे"

Page 1 of :

# MAHARASHTRA STATE MENTAL HEALTH AUTHORITY (MSMHA)

Form-F

[See rule 66]

# ERTIFICATE OF PERMANENT REGISTRATION OF MENTAL HEALTH **ESTABLISHMENT**

aharashtra State Mental Health Authority, after considering the application under ction 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental ealthcare Act, 2017, hereby accords Permanent Registration to the applicant mental ealth establishment in terms of section 66 (4) or section 66 (11), or section (17) as per e details given hereunder:

lame: - Dr. Gangadhar Chandrakantappa Korke

ddress: - Mind Institute of Neuropsychiatry, Deaddiction and Rehabilitation Centre, Plot No. 34/35, Alle Nagar, Murarji peth, Dist. Solapur

lo of beds: - 20

remanent Registration Certificate No. 73/2023

The Permanent registration certificate No.73/2023 ssued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 01/12/2023

Dr. Swapnil Lale

Chief Executive Officer Sate Mental Health

Authority, Mumbai Seal of the Registration Authority

Registration Authority

(MSMHA)

# ाहाराष्ट्र राज्य मानसिक आरोग्य प्रााधकरण प्राधिकरण, आरोग्य भवन, ७वा मजला, पी.डिमेलो रोड, फोर्ट, मुंबई

E-mail : smhamaharashtra@gmail.com

डॉ. स्वप्निल लाळे मुख्य कार्यकारी अधिकारी, राज्य मानसिक आरोग्य प्राधिकरण

श्री. पिलिंद म्हैसकर, (भाषासे.) राज्य मानसिक आरोग्य प्राधिकरण

जीवकं क्र. 3373-74 Paris - 1/12/2023

🔵 प्रति, डॉ. गंगाघर चंद्रकांतप्पा कोरके माइंड इंस्टीट्युट ऑफ न्युरोसायक्याट्री , डिॲडिक्शन ॲण्ड रिहॅविलिटेशन सेंटर, प्लॉट नं. ३४/३५, अल्ले नगर, मुरारजी पेठ, जि.सोलापूर

विषय - मानसिक आरोग्य कायदा-२०१७ अन्वये नोंदणी देण्यावावत.

उपरोक्त विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मधील विहीत केलेल्या अटी व शर्तीच्या अधिन राहून आपले माइंड इंस्टीट्युट ऑफ न्युरोसायक्याट्री , , डिॲडिक्शन ॲण्ड रिहॅबिलिटेशन सेंटर प्लॉट नं. ३४/३५, अल्ले नगर, मुरारजी पेठ, जि.सोलापूर चा परवाना मंजूर करण्यात आला आहे.

यास्तव, आपणास असेही कळविण्यात येते की, मानसिक आरोग्य कायदा-२०१७ मध्ये विहीत केलेल्या अटी व शर्तीचे तंतोतंत पालन करण्यात यावे.

> मुख्य कार्यकारी अधिकारी राज्य मानसिक आरोग्य प्राधिकरण मुंबई

प्रत -जिल्हा मानसिक आरोग्य कार्यक्रम सोलापूर यांना माहितीस्तव